Choose URETEK™

QUICK, CLEAN, ECONOMICAL SOLUTIONS to lift, realign, and stabilize sinking foundations and weak base soil.

URETEK ICR

"Great guys, good job. Very satisfied."

URETEK™

QUICK, CLEAN, EFFECTIVE SOLUTION to lift, realign, and stabilize sinking foundations and weak base soil.

SOLUTIONS

Foundation and Soil Repair

- Interior/Exterior foundation lifting
- Interior/Exterior foundation stabilization
- Weak soil compaction and densification (shallow & at depth)
- Void filling washouts and sinkholes
- Drainage control around driveways and garages

NSF

Live safer.®

URETEK uses NSF 61 certified polyurethane grout, safe to use around public water sources. For more on NSF 61 certification, visit www.nsf.org.

NSF International

OFFICIAL LISTING

The URETEK™ Method

Concrete Raising and Stabilization

URETEK's foundation raising process is a quick, clean, long-lasting solution for sinking concrete foundations. Expanding polyurethane grout is injected through 5/8" holes, gently raising the foundation, restoring both the foundation and its supporting soil. Most home foundations can be restored in one day, avoiding removal of funishings, appliances, or flooring.

URETEK Method is neat and tidy, with virtually no mess. Work is controlled from a fully equipped, self-contained mobile unit parked outside your residence.

Patented URETEK's™ Deep Injection Process

Soil Stabilization at Depth

URETEK's patented, Deep Injection process is ideal for densifying and re-compacting weak soil at various depths under a structure. After URETEK identifies weak soil zones beneath the home, expanding polyurethane grout is injected from the exterior of the structure to depths where weak soil zones are located. Additionally, this non-intrusive process avoids landscaping loss and extensive repairs after the work is complete.

Check with your insurance carrier about using **URETEK** as a solution to remediate sinkholes and soil problems that occur at depths further below the base soil strata.

"Crew did an excellent job. Clean and neat. Explained everything."

Why URETEK™?

URETEK's foundation raising process is a quick, clean, long-lasting solution for sinking concrete foundations. Injected through 5/8" holes, expanding polyurethane grout gently raises the foundation, restoring both the foundation and its supporting soil. Most home foundations can be restored in one day, without removal of funishings, appliances, or flooring.

- **Little to no disruption**
- **Clean and quiet procedure**
- **Completion time: typically one day**
- **Professional technicians**
- **Eco-friendly process and material**



URETEK ENVIRONMENT

Safe around people, pets, and plants.

- Minimal dust or debris produced
- Increased airborne allergins minimized
- Low impact, low noise procedure
- NSF 61 certified, safe around water sources